

United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450

www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/707,563	12/22/2003	Tzeng-Chih Chiou	ACMP0035USA	1562
27765 7590 03/09/2007 NORTH AMERICA INTELLECTUAL PROPERTY CORPORATION P.O. BOX 506			EXAMINER	
			DEAN, RAYMOND S	
MERRIFIELD, VA 22116		ART UNIT	PAPER NUMBER	
			2618	
				
SHORTENED STATUTORY PE	RIOD OF RESPONSE	NOTIFICATION DATE	DELIVERY MODE	
3 MONTHS		03/09/2007	ELECTRONIC	

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

Notice of this Office communication was sent electronically on the above-indicated "Notification Date" and has a shortened statutory period for reply of 3 MONTHS from 03/09/2007.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

winstonhsu.uspto@gmail.com Patent.admin.uspto.Rcv@naipo.com mis.ap.uspto@naipo.com.tw

•	Application No.	Applicant(s)				
. Office Action Comments	10/707,563	CHIOU, TZENG-CHIH				
Office Action Summary	Examiner	Art Unit				
	Raymond S. Dean	2618				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DATE of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period we failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be time vill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	the mailing date of this communication. D (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 22 De	Responsive to communication(s) filed on <u>22 December 2003</u> .					
· <u> </u>						
<u>'—</u>	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims						
• . 4)⊠ Claim(s) <u>1 - 15</u> is/are pending in the application.						
4a) Of the above claim(s) is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1 - 15</u> is/are rejected.						
7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/or	8) Claim(s) are subject to restriction and/or election requirement.					
Application Papers	-					
9) The specification is objected to by the Examine	r					
10) \boxtimes The drawing(s) filed on <u>22 December 2003</u> is/are: a) \boxtimes accepted or b) \square objected to by the Examiner.						
Applicant may not request that any objection to the		• / / / / / / / / / / / / / / / / / / /				
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119						
12)⊠ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).						
a)⊠ All b)□ Some * c)□ None of:						
, — , — , — , — , — , — , — , — , — , —						
2. Certified copies of the priority documents						
3. Copies of the certified copies of the priority documents have been received in this National Stage						
application from the International Bureau	(PCT Rule 17.2(a)).					
* See the attached detailed Office action for a list of the certified copies not received.						
Attachment(s)						
1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413)						
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) Paper No(s)/Mail Date						
3) Information Disclosure Statement(s) (PTO/SB/08) 5) Information Disclosure Statement(s) (PTO/SB/08) 5) Other:						
·	·					

Art Unit: 2618

DETAILED ACTION

Claim Rejections - 35 USC § 112

- 1. The following is a quotation of the second paragraph of 35 U.S.C. 112:
 - The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
- 2. Claim 1 recites the limitation "**the** alarm processing module" in lines 14 15. There is insufficient antecedent basis for this limitation in the claim.

Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. Claims 1 9 and 12 15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Forrester (US 6,710,651) in view of Myllymaki et al. (6,018,646).

Regarding Claim 1, Forrester teaches a mobile phone comprising: a processor for controlling operations of the mobile phone (Figure 3, Cols. 6 lines 65 - 67, 7 lines 1 - 9); a power modulating module for controlling a power level of a communication signal so as to generate a corresponding transmission signal (Col. 7 lines 10 - 19, lines 27 - 32); a power measuring circuit electrically connected to the power modulating module for measuring a power level of the transmission signal so as to generate a corresponding result (Col. 7 lines 10 - 19).

Art Unit: 2618

Forrester does not teach an alarm processing module (NOTE: Examiner has made the assumption that Applicants meant to state an alarm processing module as opposed to an antenna) electrically connected to the power measuring circuit for generating a corresponding alarming signal according to the result; and an alarming module electrically connected to the alarm processing module for generating a corresponding sign according to the alarming signal for indicating the power level of the transmission signal.

Myllymaki teaches an alarm processing module electrically connected to the power measuring circuit for generating a corresponding alarming signal according to the result (Col. 3 lines 8 – 30); and an alarming module electrically connected to the alarm processing module for generating a corresponding sign according to the alarming signal for indicating the power level of the transmission signal (Col. 3 lines 8 – 30).

Forrester and Myllymaki (Cols. 4 line 67, 5 lines 1 – 5) teach a system in which the transmission power of a mobile device is controlled such that an Specific Absorption Rate (SAR) value is not exceeded thus it would have been obvious to one of ordinary skill in the art at the time the invention was made to use the configuration and method taught above by Myllymaki in the system of Forrester as an additional or alternative means for preventing the transmission power from exceeding a particular SAR.

Regarding Claim 2, Forrester in view of Myllymaki teaches all of the claimed limitations recited in Claim 1. Forrester further teaches a monitor electrically connected

Art Unit: 2618

to the processor for displaying operational statuses of the mobile phone (Col. 6 lines 2 – 4, typical wireless communication devices such as mobile phones comprise displays that display phone status indicators).

Regarding Claim 3, Forrester in view of Myllymaki teaches all of the claimed limitations recited in Claim 2. Myllymaki further teaches wherein the alarming module is the monitor being capable of displaying video signals corresponding to the alarming signal (Col. 3 lines 23 – 30).

Regarding Claim 4, Forrester in view of Myllymaki teaches all of the claimed limitations recited in Claim 1. Myllymaki further teaches wherein the alarming module comprises at least a light emitting diode, wherein when the power level of the transmission signal rises over a predetermined value, the alarming signal is capable of initiating a light emitting diode of the alarming module to emit light, and when the power level of the transmission signal drops below a predetermined value, the alarming signal is capable of stopping the light emitting diode from emitting light (Col. 3 lines 8 – 30).

Regarding Claim 5, Forrester in view of Myllymaki teaches all of the claimed limitations recited in Claim 1. Myllymaki further teaches wherein the alarming module comprises a vibrator for generating vibrations according to the alarming signal (Col. 3 lines 23 - 30).

Regarding Claim 6, Forrester in view of Myllymaki teaches all of the claimed limitations recited in Claim 1. Myllymaki further teaches wherein the alarming module comprises a speaker for generating a sound according to the alarming signal (Col. 3 lines 23 - 30).

Art Unit: 2618

Regarding Claim 7, Forrester in view of Myllymaki teaches all of the claimed limitations recited in Claim 1. Forrester further teaches a signal amplifier for amplifying the communication signal according to controls of the processor (Figure 3, Cols. 6 lines 65 - 67, 7 lines 1 - 19, lines 27 - 32); and a power amplifier electrically connected to the signal amplifier for amplifying power of the communication signal (Figure 3, Col. 6 lines 65 - 67).

Regarding Claim 8, Forrester in view of Myllymaki teaches all of the claimed limitations recited in Claim 7. Forrester further teaches wherein the processor is capable of controlling the signal amplifier according to the result generated by the power measuring circuit (Col. 7 lines 27 - 32).

Regarding Claim 9, Forrester in view of Myllymaki teaches all of the claimed limitations recited in Claim 7. Forrester further teaches antenna capable of receiving radio signals for generating a corresponding receiving signal (Figure 3, Col. 6 lines 65 – 67).

Regarding Claim 12, Forrester in view of Myllymaki teaches all of the claimed limitations recited in Claim 1. Myllymaki further teaches wherein the alarming processing module stores at least a predetermined range applied with a corresponding alarming signal, wherein when the result measured by the power measuring circuit matches one of the predetermined ranges, the alarm processing module is capable of generating a corresponding alarming signal (Col. 3 lines 8 – 30, the keypad enables the storage of the ranges).

Art Unit: 2618

Regarding Claim 13, Forrester in view of Myllymaki teaches all of the claimed limitations recited in Claim 1. Myllymaki further teaches an analog-to-digital converter (ADC) electrically connected between the power measuring circuit and the alarm processing module for converting the result measured by the power measuring circuit to a digital signal (Col. 3 lines 31 – 36).

Regarding Claim 14, Forrester in view of Myllymaki teaches all of the claimed limitations recited in Claim 1. Forrester further teaches a microphone for receiving a sound so as to generate a voice signal (Col. 6 lines 2 – 4, typical wireless communication devices such as mobile phones comprise a microphone for receiving sound); and a baseband circuit electrically connected to the microphone for generating a communication signal according to the voice signal (Col. 2 lines 37 – 42).

Regarding Claim 15, Forrester in view of Myllymaki teaches all of the claimed limitations recited in Claim 1. Forrester further teaches wherein the antenna is further capable of receiving radio signals transmitted to the mobile phone and generating a corresponding receiving signal (Figure 3, Col. 6 lines 65 – 67), the mobile phone further comprising: a baseband circuit for generating a voice signal according to the receiving signal (Col. 2 lines 37 – 42); a speaker electrically connected to the baseband circuit for generating a sound wave according to the voice signal (Col. 6 lines 2 – 4, typical wireless communication devices such as mobile phones comprise speakers for the purpose generating voice signals); a duplexer electrically connected between the antenna and a receiving circuit for transferring the transmission signal to

Art Unit: 2618

the antenna and transferring the receiving signal from the antenna to the power modulating circuit (Figure 3, Col. 6 lines 65 – 67).

5. Claims 10 – 11 are rejected under 35 U.S.C. 103(a) as being unpatentable over Forrester (US 6,710,651) in view of Myllymaki et al. (6,018,646), as applied to Claim 9 above, and further in view of Hellmark et al. (US 2002/0183086).

Regarding Claim 10, Forrester in view of Myllymaki teaches all of the claimed limitations recited in Claim 9. Forrester in view of Myllymaki does not teach wherein the processor is capable of controlling the signal amplifier according to the receiving signal such that when the receiving signal changes, the amplification controlled by the signal amplifier changes.

Hellmark teaches controlling the signal amplifier according to the receiving signal such that when the receiving signal changes, the amplification controlled by the signal amplifier changes (Sections 0005 lines 13 – 24, 0011).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the system of Forrester in view of Myllymaki with the open loop method of Hellmark for the purpose overcoming the near-far problem as taught by Hellmark.

Regarding Claim 11, Forrester in view of Myllymaki teaches all of the claimed limitations recited in Claim 9. Forrester in view of Myllymaki does not teach wherein the processor is capable of controlling the signal amplifier according to a power level of

Art Unit: 2618

the receiving signal such that when the power level of the receiving signal changes, the amplification controlled by the signal amplifier changes accordingly.

Hellmark teaches controlling the signal amplifier according to a power level of the receiving signal such that when the power level of the receiving signal changes, the amplification controlled by the signal amplifier changes accordingly (Sections 0005 lines 13 – 24, 0011).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the system of Forrester in view of Myllymaki with the open loop method of Hellmark for the purpose overcoming the near-far problem as taught by Hellmark.

Conclusion

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Raymond S. Dean whose telephone number is 571-272-7877. The examiner can normally be reached on Monday-Friday 6:00-2:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Edward F. Urban can be reached on 571-272-7899. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2618

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or \$71-272-1000.

Raymond S. Dean February 20, 2007

EDWARD F. URBAN SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2600